



aerospace
climate control
electromechanical
filtration
fluid & gas handling
hydraulics
pneumatics
process control
sealing & shielding



Biogas-Solutions

Gas Treatment



ENGINEERING YOUR SUCCESS.

Biogas, the energy for future generations

Biogas, originating from bio-mass is gaining increasing worldwide importance as a recognised renewable energy source. Biogas production can and will contribute in a significant way to future energy supplies, replacing more and more existing fossil-fuel sources such as coal, oil and natural gas. Extensive promotion schemes throughout many countries in Europe, spearheaded by Germany, will lead to the production of biogas being perfected.

Building on over 30 years of experience in the field of compressed air and gas treatment, Parker Hiross Zander exhibit extensive know-how when it comes to filtration, moisture removal, cooling and the drying of bio-, sewage- and landfill gases.

Unwanted, damaging substances contained in biogas are:

- Hydrogen Sulphide
- Ammonia (NH_3)
- Siloxane
- Aromatic Hydrocarbons
- Halogens (Chlorine, Fluorine)
- Particulate



What does Parker have to offer for the treatment of Biogas?

Areas of Application:

Filtration, Cooling, Moisture removal, and fine-desulphurisation of raw biogas

Before the gas can be used for the production of electricity and heat in a “Combined Heat & Power Unit (CHP)”, biogas treatment in the form of filtration via a biogas filter, preceded by a heat-exchanger must take place. Together with a cooler, pressure dew points of 3°C are achieved. The moisture separated from the gas stream by a condensate separator, equipped with zero-gas-loss drain is effectively removed from the system. This drain is constructed in such a way that it reliably prevents gas- and pressure-loss when draining condensate liquid.

Stainless Steel Filter Housings

- For capacities up to 50,000 Nm^3/h (pressure-dependent)
- Operating pressures from 100 mbar to 100 bar

All Filters are available with:

- ATEX Approval
- Pressure vessel approvals – PED, GOST, ASME, SQL etc.



Parker Hannifin filter, cooler and condensate drain

Biogas Solutions



Bio-methane Treatment

The treatment of biogas to produce bio-methane is opening new markets. The injection of biogas into existing municipal gas-networks is starting to establish itself as an essential constituent to a future “energy-mix”.

Before being used for gas-injection or fuel production (CNG) the biogas, produced in a fermenter must be enriched. In addition to an “upgrading” process, designed to increase the calorific value of the

gas, it is also necessary to reliably remove particulate and moisture from the gas-stream.

As a manufacturer and supplier of systems, Parker Hiross Zander represents the ideal partner, possessing extensive knowledge of gas-treatment systems and the stipulations governing gas-network injection.

Siloxane Removal from Bio- and landfill gases

During the combustion process in a burner, a gas-motor or a turbine, silicon dioxide (SiO_2) is formed. This quartz-like substance coats the hot-surfaces which come into contact with the gas, it precipitates out and lead to tremendous problems. Significantly increased maintenance costs and engine-downtime reduce the capacity and efficiency of the energy yield. Damage to the

downstream catalysts, installed in the exhaust system make it difficult to maintain the levels of CO_2 demanded by legislation.

The answer to this problem comes in the form of a highly effective adsorption system, containing different types of adsorption material designed to reliably remove siloxanes from the gas-stream.



CNG Production

CNG (Compressed Natural Gas) is an alternative to other traditional vehicle fuels. The use of CNG as a fuel contributes to the reduction of CO_2 , nitrous-oxide and particulate emissions. This fuel can be produced from natural gas or alternatively from biogas, treated to meet the standards and quality of natural gas. Effective gas drying and filtration prevents the build-up of liquid deposits in gas-tanks, compressor-fouling, unscheduled replacement of the gas-dispenser and repairs to vehicle fuel systems.

Trust in the expertise of the Parker Hannifin Group and profit from their many years of practical experience.

CNG Filters

- For pressures up to 350 bar
- Approved for fluid-group 1 gases in accordance with PED
- Suitable for containerised installation
- Optional ATEX-Approval for zone 2 or zone 1 applications
- Efficient gas-drying using molecular-sieve adsorbents



Parker Worldwide

Europe, Middle East, Africa

AE – United Arab Emirates, Dubai
Tel: +971 4 8127100
parker.me@parker.com

AT – Austria, Wiener Neustadt
Tel: +43 (0)2622 23501-0
parker.austria@parker.com

AT – Eastern Europe, Wiener Neustadt
Tel: +43 (0)2622 23501 900
parker.easteurope@parker.com

AZ – Azerbaijan, Baku
Tel: +994 50 2233 458
parker.azerbaijan@parker.com

BE/LU – Belgium, Nivelles
Tel: +32 (0)67 280 900
parker.belgium@parker.com

BY – Belarus, Minsk
Tel: +375 17 209 9399
parker.belarus@parker.com

CH – Switzerland, Etoy
Tel: +41 (0)21 821 87 00
parker.switzerland@parker.com

CZ – Czech Republic, Klecany
Tel: +420 284 083 111
parker.czechrepublic@parker.com

DE – Germany, Kaarst
Tel: +49 (0)2131 4016 0
parker.germany@parker.com

DK – Denmark, Ballerup
Tel: +45 43 56 04 00
parker.denmark@parker.com

ES – Spain, Madrid
Tel: +34 902 330 001
parker.spain@parker.com

FI – Finland, Vantaa
Tel: +358 (0)20 753 2500
parker.finland@parker.com

FR – France, Contamine s/Arve
Tel: +33 (0)4 50 25 80 25
parker.france@parker.com

GR – Greece, Athens
Tel: +30 210 933 6450
parker.greece@parker.com

HU – Hungary, Budapest
Tel: +36 1 220 4155
parker.hungary@parker.com

IE – Ireland, Dublin
Tel: +353 (0)1 466 6370
parker.ireland@parker.com

IT – Italy, Corsico (MI)
Tel: +39 02 45 19 21
parker.italy@parker.com

KZ – Kazakhstan, Almaty
Tel: +7 7272 505 800
parker.easteurope@parker.com

NL – The Netherlands, Oldenzaal
Tel: +31 (0)541 585 000
parker.nl@parker.com

NO – Norway, Asker
Tel: +47 66 75 34 00
parker.norway@parker.com

PL – Poland, Warsaw
Tel: +48 (0)22 573 24 00
parker.poland@parker.com

PT – Portugal, Leca da Palmeira
Tel: +351 22 999 7360
parker.portugal@parker.com

RO – Romania, Bucharest
Tel: +40 21 252 1382
parker.romania@parker.com

RU – Russia, Moscow
Tel: +7 495 645-2156
parker.russia@parker.com

SE – Sweden, Spånga
Tel: +46 (0)8 59 79 50 00
parker.sweden@parker.com

SK – Slovakia, Banská Bystrica
Tel: +421 484 162 252
parker.slovakia@parker.com

SL – Slovenia, Novo Mesto
Tel: +386 7 337 6650
parker.slovenia@parker.com

TR – Turkey, Istanbul
Tel: +90 216 4997081
parker.turkey@parker.com

UA – Ukraine, Kiev
Tel: +380 44 494 2731
parker.ukraine@parker.com

UK – United Kingdom, Warwick
Tel: +44 (0)1926 317 878
parker.uk@parker.com

ZA – South Africa, Kempton Park
Tel: +27 (0)11 961 0700
parker.southafrica@parker.com

North America

CA – Canada, Milton, Ontario
Tel: +1 905 693 3000

US – USA, Cleveland
Tel: +1 216 896 3000

Asia Pacific

AU – Australia, Castle Hill
Tel: +61 (0)2-9634 7777

CN – China, Shanghai
Tel: +86 21 2899 5000

HK – Hong Kong
Tel: +852 2428 8008

IN – India, Mumbai
Tel: +91 22 6513 7081-85

JP – Japan, Tokyo
Tel: +81 (0)3 6408 3901

KR – South Korea, Seoul
Tel: +82 2 559 0400

MY – Malaysia, Shah Alam
Tel: +60 3 7849 0800

NZ – New Zealand, Mt Wellington
Tel: +64 9 574 1744

SG – Singapore
Tel: +65 6887 6300

TH – Thailand, Bangkok
Tel: +662 717 8140

TW – Taiwan, Taipei
Tel: +886 2 2298 8987

South America

AR – Argentina, Buenos Aires
Tel: +54 3327 44 4129

BR – Brazil, Sao Jose dos Campos
Tel: +55 12 4009 3500

CL – Chile, Santiago
Tel: +56 2 623 1216

MX – Mexico, Apodaca
Tel: +52 81 8156 6000

VE – Venezuela, Caracas
Tel: +58 212 238 5422



EMEA Product Information Centre

Free phone: 00 800 27 27 5374

(from AT, BE, CH, CZ, DE, DK, EE, ES, FI, FR, IE, IL, IS, IT, LU, MT, NL, NO, PL, PT, RU, SE, SK, UK, ZA)

US Product Information Centre

Toll-free number: 1-800-27 27 537

www.parker.com